			ll)
	Application No.	Applicant(s)	100
Notice of Allowability	10/022,658	O'LEARY ET AL.	
	Examiner	Art Unit	
	Janice L. Krizek	3652	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS Is herewith (or previously mailed), a Notice of Allowance (PTOL-88 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT I of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in the post of the second of the sec	his application. If not include ication will be mailed in due	ed course. THIS
1. This communication is responsive to the Brief on Appeal	<u>filed July 22, 2004</u> .		
2. ☑ The allowed claim(s) is/are <u>1-10</u> .			
3. X The drawings filed on <u>03/11/2002; 02/06/2003 and 05/30</u>	/2003 are accepted by the Exan	niner.	
 4. ☐ Acknowledgment is made of a claim for foreign priority of a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 	ve been received.		
2. Certified copies of the priority documents have			
3. Copies of the certified copies of the priority d	ocuments have been received in	n this national stage applica	tion from the
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the rec	quirements
 A SUBSTITUTE OATH OR DECLARATION must be sub- INFORMAL PATENT APPLICATION (PTO-152) which gi 			OTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") me	ust be submitted.		
(a) ☐ including changes required by the Notice of Draftspe	rson's Patent Drawing Review (PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examine Paper No./Mail Date	r's Amendment / Comment or in	the Office action of	
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the the header according to 37 CFR	drawings in the front (not the 1.121(d).	back) of
 DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MATER FOR THE DEPOSIT OF BIOL	RIAL must be submitted. N OGICAL MATERIAL.	Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)		mal Patent Application (PTC	D-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		nmary (PTO-413), ail Date	
 Information Disclosure Statements (PTO-1449 or PTO/SB Paper No./Mail Date 	/08), 7. ⊠ Examiner's Ar	mendment/Comment	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. ☐ Examiner's St 9. ☐ Other	atement of Reasons for Allo	wance

Application/Control Number: 10/022,658 Page 2

Art Unit: 3652

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. On page 3 of the specification, in line 15, "change is separation" has been changed to --change in separation--.

On page 5, in line 9, "stop 46." has been changed to --stop 47.--.

On page 6, in line 6 of the amended paragraph beginning at line 9, "Tube 73 is" has been changed to --Tube 83 is--.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Janice Krizek whose telephone number is (703) 308-2026. The examiner can normally be reached on Mondays through Fridays from 11:30 a.m. to 8:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eileen Lillis, can be reached at (703) 308-3248. The central official fax number is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center receptionist whose telephone number is (703) 308-1113.

Tanice L. Krizek
Primary Examiner

Technology Center 3600